



**TO:** Paul Applegate  
Quintron Systems, Inc.  
Santa Maria, CA 93458

**FROM:** Chi Hickey on behalf of the FIPS 201 Evaluation Program

**DATE:** 7/13/15 - Update

**RE:** **Approval of Products/Services for Listing on the GSA APL**

Office of Management and Budget (OMB) issued M-06-18 that requires Federal Agencies to procure only qualified products and services listed on the GSA Approved Products List (APL) when implementing HSPD-12 into their environment. Procurement of approved products and services facilitates the government-wide objective of a federated and interoperable ICAM segment architecture, and ensures compliance, consistency and alignment of commercially-available products and services with the requirements and functional needs of government ICAM implementer.

Accordingly, the FIPS 201 Evaluation Program (Program) is very pleased to inform you that the following product/service has passed testing against all applicable Testing Requirements. Please see the attached document that summarizes the specific parameters of the approval (e.g., product/service profile, what your product/service was tested with). Your product/service will now be listed on the APL as shown below. If there are any errors in the listing information, please notify me within five (5) business days of receiving this letter.

# 1 Category-PACS Infrastructure

## 1.1 APL Certification Number

- (APL#10043)
  - Quintron AccessNsite v7.9

## 1.2 Product/Service Information

<b>Organization Name:</b>	Quintron Systems, Inc
<b>Name of Product or Service:</b>	Quintron AccessNsite
<b>Part Number:</b>	F96-002-600-XX **
<b>Hardware Version:</b>	N/A
<b>Software Version:</b>	7.9.5
<b>Firmware Version:</b>	N/A
<b>Authentication Support</b>	N/A

*\*\* Note: Part numbers ending in "XX" that are specifically defined in the table below are approved under APL #10043. Any value for "XX" that is not defined below has not been tested and approved hereunder.*

"XX"	Description
03	8 Doors
04	16 Doors
05	32 Doors
06	16 Doors, Purchased without hardware
07	64 Doors
08	32 Doors, Purchased without hardware
09	128 Doors
10	64 Doors, Purchased without hardware
11	256 Doors
12	128 Doors, Purchased without hardware

<b>Organization Name:</b>	Quintron Systems, Inc
<b>Name of Product or Service:</b>	Mercury EP-1502 Intelligent Controller
<b>Part Number:</b>	EP-1502
<b>Hardware Version:</b>	N/A
<b>Software Version:</b>	N/A
<b>Firmware Version:</b>	1.17.6
<b>Authentication Support</b>	N/A

### 1.3 Document History

Status	Date	Comments
Approved	2/23/2015	Final Approval Date for APL# 10043
Update	7/7/2015	Add HID pivCLASS RKCLB40 Reader
Update	7/13/2015	Update Software Version from 7.9 to 7.95
Update	7/13/2015	Define the “XX” in the Part Number for Quintron AccessNsite
Update	7/13/2015	Update the Firmware Version for Part #EP-1502
Update	7/13/2015	Include Solution -2: Validation System – APL #10050  PIV Readers – APL #10051, 10053, 10054, 10055, 10056

### 1.4 Restrictions:

Quintron (**APL #10043**) has been tested and approved as a component of a fully compliant ICAM Solution. The end to end solution components used to test the ICAM compliance of the approved solution are listed below.

#### Solution - 1

- Validation System (**APL# 10044**)
  - pivCLASS Registration Engine (Quintron AccessNsite)
  - pivCLASS Certificate Manager
  - pivCLASS Reader Services
  - pivCLASS IDPublisher
  - pivCLASS Authentication Module
  
- PIV Reader
  - pivCLASS RP40 Contactless Reader (APL#10003)
  - pivCLASS RK40 Contactless Reader + PIN (APL# 10004)
  - pivCLASS RPK40 Contactless Reader + PIN (APL# 10005)
  - pivCLASS R40 Contactless Reader (APL# 10006)
  - pivCLASS RKCL40 Contact/Contactless Reader with PIN (APL# 10007)
  - pivCLASS RPKCL40 Contact/Contactless Reader with PIN (APL# 10008)
  - pivCLASS RPKCLB40 Contact/Contactless Reader with PIN & BIO (APL# 10026)
  - pivCLASS RKCLB40 Contact/Contactless Reader with PIN & BIO (APL# 10052)

## **Solution - 2**

- Validation System (**APL # 10050**)
  - TrustAlert Enrollment Software
  - TrustPoint Enrollment Reader
  
- PIV Reader
  - TrustPoint Cryptographic Access Reader (2-Factor)  
Dual Contact/Contactless Interface  
With Tamper Switch Enabled (**APL # 10051**)
  - TrustPoint Cryptographic Access Reader (2-Factor)  
Contact Interface  
With Tamper Switch Enabled (**APL # 10053**)
  - TrustPoint Cryptographic Access Reader (1-Factor)  
Dual Contact/Contactless Interface  
With Tamper Switch Enabled (**APL # 10054**)
  - TrustPoint Cryptographic Access Reader (1-Factor)  
Contactless Interface  
With Tamper Switch Enabled (**APL # 10055**)
  - TrustPoint Cryptographic Access Reader (1-Factor)  
Contact Interface  
With Tamper Switch Enabled (**APL # 10056**)

Approval of the above product/service indicates your cooperation with the Program and successful testing against a rigorous, comprehensive set of functional requirements derived from government-wide specifications. Testing included positive and negative test cases, and threat vectors.

Given the strategic government-wide importance of the APL, the scope and extent of testing performed on your product/service, and the rigor of that testing, the Program would like to acknowledge the noteworthiness of the approval and listing. Your product/service will now be available to all Federal Agencies for procurement.

Please note that continued listing on the APL requires ongoing conformance to all applicable requirements, including requirements added or amended over time. A listed product/service can become non-conformant for various reasons including but not limited to:

- Failure to pass testing against new and revised requirements before the effective date of the new/revised requirements.

- Problems discovered in your listed product/service (or class of product/service) are not addressed within time frames specified by the Program.

Refer to applicable Agreements and Program documents for specific details regarding ongoing compliance including severity levels and remediation time frames. Listed products and services that fall out of conformance will be removed from the APL and added to the Removed Products List (RPL).

If you have any questions, please feel free to contact me.

Chi Hickey  
GSA OGP  
202-501-1881 (desk)  
202-617-6883 (cell)  
Chi.Hickey@gsa.gov