



**TO:** Martin Janiak  
Veridt, Inc.  
7182 US Highway 14  
Suite 401  
Middleton, WI 53562

**FROM:** Matt Arnold, on behalf of the FICAM Testing Program

**DATE:** 11/19/2024

**RE:** **Update of Approval of Products/Services for Listing on the GSA APL**

The Office of Management and Budget (OMB) issued M-19-17, which requires federal agencies to procure only qualified products and services listed on the GSA Approved Products List (APL) when implementing HSPD-12 in their environment. Procuring approved products and services facilitates the government-wide objective of a federated and interoperable ICAM segment architecture. It also ensures compliance, consistency, and alignment of commercially available products and services with the requirements and functional needs of government ICAM implementers.

Accordingly, the FIPS 201 Evaluation Program (Program) is pleased to inform you that the following product/service has passed testing against all applicable Testing Requirements. Please see the attached document that summarizes the specific parameters of the approval (e.g., product/service profile and what your product/service was tested with). Your product/service will now be listed on the APL, as shown below. If anything needs to be corrected in the listing information, please notify me within five (5) business days of receiving this letter.

# Approval Authorization Letter

---

## 1 Category-PACS PIV Reader

### 1.1 APL Certification Number

- **(APL# 10031)**
  - Veridt 900W2030-EXXXX Bio Dual Contact/Contactless Keypad Reader
  - Veridt 900M2000 EWAC Communication Device
- **(APL# 10032)**
  - Veridt 900W2036-EXXXX Stealth Dual Contact/Contactless Keypad Reader
  - Veridt 900M2000 EWAC Communication Device
- **(APL# 10033)**
  - Veridt 900W2037-EXXXX Stealth Lite Dual Contact /Contactless Reader
  - Veridt 900M2000 EWAC Communication Device
- **(APL# 10034)**
  - Veridt 900W2026-EXXXX Stealth Contactless Keypad Reader
  - Veridt 900M2000 EWAC Communication Device
- **(APL# 10035)**
  - Veridt 900W2027-EXXXX Stealth Lite Contactless Reader
  - Veridt 900M2000 EWAC Communication Device
- **(APL# 10092)**
  - Veridt 900W2030-DXXXX Bio Dual Contact/Contactless Keypad Reader
- **(APL# 10093)**
  - Veridt 900W2036-DXXXX Stealth Dual Contact/Contactless Keypad Reader
- **(APL# 10094)**
  - Veridt 900W2037-EXXXX Stealth Lite Dual Contact /Contactless Reader
- **(APL# 10095)**
  - Veridt 900W2026-DXXXX Stealth Contactless Keypad Reader
- **(APL# 10096)**

- Veridt 900W2027-DXXXXX Stealth Lite Contactless Reader
- **(APL# 10163)**
  - Veridt/SoftwareHouse VER-2030 Bio Dual Contact/Contactless Keypad Reader
- **(APL# 10164)**
  - Veridt/SoftwareHouse VER-2036 Stealth Dual Contact/Contactless Keypad Reader
- **(APL# 10165)**
  - Veridt/SoftwareHouse VER-2037 Stealth Lite Dual Contact/Contactless
- **(APL# 10166)**
  - Veridt/SoftwareHouse VER-2026 Stealth Contactless Keypad Reader
- **(APL# 10167)**
  - Veridt/SoftwareHouse VER-2027 Stealth Lite Contactless Reader
- **(APL# 10186)**
  - Gallagher C8662600/Veridt 900W2030-DXXXXX Bio Dual Contact/Contactless Keypad Reader
- **(APL# 10187)**
  - Veridt 900W2031-EXYON BioQ - Contact/Contactless Keypad / Bio Reader, Facial recognition w/EWAC
- **(APL# 10194)**
  - NAPCO CICR-9W2030-E / Veridt 900W2030-EXXXXX - Veridt Bio Dual Contact/Contactless Keypad Reader w/EWAC
- **(APL# 10195)**
  - NAPCO CICR-9W2036-SXY/ Veridt 900W2036-SXYON - Veridt Stealth Dual Reader w/EWAC

## 1.2 Product/Service Information

|                                    |  |
|------------------------------------|--|
| <b>Organization Name:</b>          | Veridt   |
| <b>Name of Product or Service:</b> | Veridt Bio Dual Contact/Contactless Keypad Reader w/EWAC |
| <b>Part Number:</b>                | 900W2030-EXXXXX  |
| <b>Hardware Version:</b>           | 219-102806-D   |
| <b>Software Version:</b>           | N/A  |
| <b>Firmware Version:</b>           | 02.03.00.00  |
| <b>Is an Exemplar:</b>             | Yes  |

|             |       |
|-------------|-------|
| <b>APL:</b> | 10031 |
|-------------|-------|

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Veridt  |
| <b>Name of Product or Service:</b> | Veridt Stealth Dual Contact/Contactless Keypad Reader |
| <b>Part Number:</b>                | 900W2036-EXXXX  |
| <b>Hardware Version:</b>           | 219-102805-D  |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | 02.03.00.00   |
| <b>Has an Exemplar:</b>            | Yes, Part Number 900W2030-EXXXX (Exemplar APL #10031) |
| <b>APL:</b>                        | 10032   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Veridt  |
| <b>Name of Product or Service:</b> | Veridt Stealth Dual Lite Contact /Contactless Reader  |
| <b>Part Number:</b>                | 900W2037-EXXXX  |
| <b>Hardware Version:</b>           | 219-102804-D  |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | 02.03.00.00   |
| <b>Has an Exemplar:</b>            | Yes, Part Number 900W2030-EXXXX (Exemplar APL #10031) |
| <b>APL:</b>                        | 10033   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Veridt  |
| <b>Name of Product or Service:</b> | Veridt Stealth Contactless Keypad Reader              |
| <b>Part Number:</b>                | 900W2026-EXXXX  |
| <b>Hardware Version:</b>           | 219-102803-D  |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | 02.03.00.00   |
| <b>Has an Exemplar:</b>            | Yes, Part Number 900W2030-EXXXX (Exemplar APL #10031) |
| <b>APL:</b>                        | 10034   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Veridt  |
| <b>Name of Product or Service:</b> | Veridt Stealth Lite Contactless Reader                |
| <b>Part Number:</b>                | 900W2027-EXXXX  |
| <b>Hardware Version:</b>           | 219-102802-D  |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | 02.03.00.00   |
| <b>Has an Exemplar:</b>            | Yes, Part Number 900W2030-EXXXX (Exemplar APL #10031) |
| <b>APL:</b>                        | 10035   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Veridt  |
| <b>Name of Product or Service:</b> | Veridt Bio Dual Contact/Contactless Keypad Reader |
| <b>Part Number:</b>                | 900W2030-DXXXX                                    |

|                          |              |
|--------------------------|--------------|
| <b>Hardware Version:</b> | 219-102806-D |
| <b>Software Version:</b> | N/A          |
| <b>Firmware Version:</b> | 02.03.00.00  |
| <b>Is an Exemplar:</b>   | Yes          |
| <b>APL:</b>              | 10092        |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Veridt  |
| <b>Name of Product or Service:</b> | Veridt Stealth Dual Contact/Contactless Keypad Reader |
| <b>Part Number:</b>                | 900W2036-DXXXX  |
| <b>Hardware Version:</b>           | 219-102805-D  |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | 02.03.00.00   |
| <b>Has an Exemplar:</b>            | Yes, Part Number 900W2030-DXXXX (Exemplar APL #10092) |
| <b>APL:</b>                        | 10093   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Veridt  |
| <b>Name of Product or Service:</b> | Veridt Stealth Lite Dual Contact /Contactless Reader  |
| <b>Part Number:</b>                | 900W2037-EXXXX  |
| <b>Hardware Version:</b>           | 219-102805-D  |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | 02.03.00.00   |
| <b>Has an Exemplar:</b>            | Yes, Part Number 900W2030-DXXXX (Exemplar APL #10092) |
| <b>APL:</b>                        | 10094   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Veridt  |
| <b>Name of Product or Service:</b> | Veridt Stealth Contactless Keypad Reader              |
| <b>Part Number:</b>                | 900W2026-DXXXX  |
| <b>Hardware Version:</b>           | 219-102803-D  |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | 02.03.00.00   |
| <b>Has an Exemplar:</b>            | Yes, Part Number 900W2030-DXXXX (Exemplar APL #10092) |
| <b>APL:</b>                        | 10095   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Veridt  |
| <b>Name of Product or Service:</b> | Veridt Stealth Lite Contactless Reader                |
| <b>Part Number:</b>                | 900W2027-DXXXX  |
| <b>Hardware Version:</b>           | 219-102802-D  |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | 02.03.00.00   |
| <b>Has an Exemplar:</b>            | Yes, Part Number 900W2030-DXXXX (Exemplar APL #10092) |
| <b>APL:</b>                        | 10096   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Johnson Controls Inc                              |
| <b>Name of Product or Service:</b> | Veridt Bio Dual Contact/Contactless Keypad Reader |
| <b>Part Number:</b>                | VER-2030  |
| <b>Hardware Version:</b>           | 219-102806-D                                      |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | gd5-062922  |
| <b>Is an Exemplar:</b>             | Yes   |
| <b>APL:</b>                        | 10163   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Johnson Controls Inc                                  |
| <b>Name of Product or Service:</b> | Veridt Stealth Dual Contact/Contactless Keypad Reader |
| <b>Part Number:</b>                | VER-2036  |
| <b>Hardware Version:</b>           | 219-102805-D  |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | gd5-062922  |
| <b>Has an Exemplar:</b>            | Yes, Part Number VER-2030 (Exemplar APL #10163)       |
| <b>APL:</b>                        | 10164   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Johnson Controls Inc                            |
| <b>Name of Product or Service:</b> | Veridt Stealth Lite Dual Contact/Contactless    |
| <b>Part Number:</b>                | VER-2037  |
| <b>Hardware Version:</b>           | 219-102805-D                                    |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | gd5-062922                                      |
| <b>Has an Exemplar:</b>            | Yes, Part Number VER-2030 (Exemplar APL #10163) |
| <b>APL:</b>                        | 10165   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Johnson Controls Inc                            |
| <b>Name of Product or Service:</b> | Veridt Stealth Contactless Keypad Reader        |
| <b>Part Number:</b>                | VER-2026  |
| <b>Hardware Version:</b>           | 219-102803-D                                    |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | gd5-062922                                      |
| <b>Has an Exemplar:</b>            | Yes, Part Number VER-2030 (Exemplar APL #10163) |
| <b>APL:</b>                        | 10166   |

|                                    |   |
|------------------------------------|---|
| <b>Organization Name:</b>          | Johnson Controls Inc                            |
| <b>Name of Product or Service:</b> | Veridt Stealth Lite Contactless Reader          |
| <b>Part Number:</b>                | VER-2027  |
| <b>Hardware Version:</b>           | 219-102802-D                                    |
| <b>Software Version:</b>           | N/A   |
| <b>Firmware Version:</b>           | gd5-062922                                      |
| <b>Has an Exemplar:</b>            | Yes, Part Number VER-2030 (Exemplar APL #10163) |
| <b>APL:</b>                        | 10167   |

|                                    |  |
|------------------------------------|--|
| <b>Organization Name:</b>          | Gallagher  |
| <b>Name of Product or Service:</b> | Veridt 900W2030-DXXXX Bio Dual Contact/Contactless Keypad Reader |
| <b>Part Number:</b>                | C861600  |
| <b>Hardware Version:</b>           | 219-102806-D   |
| <b>Software Version:</b>           | N/A  |
| <b>Firmware Version:</b>           | 02.03.00.00  |
| <b>Has an Exemplar:</b>            | Yes, Part Number 900W2030-DXXXX (Exemplar APL# 10092)            |
| <b>APL #:</b>                      | 10186  |

|                                    |  |
|------------------------------------|--|
| <b>Organization Name:</b>          | Veridt   |
| <b>Name of Product or Service:</b> | Veridt BioQ - Contact/Contactless Keypad / Bio Reader, Facial recognition w/EWAC |
| <b>Part Number:</b>                | 900W2031-EXYON   |
| <b>Hardware Version:</b>           | 219-105503   |
| <b>Software Version:</b>           | N/A  |
| <b>Firmware Version:</b>           | 02.04.00.00  |
| <b>APL #:</b>                      | 10187  |

|                                    |  |
|------------------------------------|--|
| <b>Organization Name:</b>          | NAPCO/ Continental Access                                |
| <b>Name of Product or Service:</b> | Veridt Bio Dual Contact/Contactless Keypad Reader w/EWAC |
| <b>Part Number:</b>                | CICR-9W2030-E (900W2030-EXXXX)                           |
| <b>Hardware Version:</b>           | 219-102806-D   |
| <b>Software Version:</b>           | N/A  |
| <b>Firmware Version:</b>           | 02.03.00.00  |
| <b>APL #:</b>                      | 10194  |

|                                    |                                   |
|------------------------------------|-----------------------------------|
| <b>Organization Name:</b>          | NAPCO/ Continental Access         |
| <b>Name of Product or Service:</b> | Veridt Stealth Dual Reader w/EWAC |
| <b>Part Number:</b>                | CICR-9W2036-SXY (900W2036-SXYON)  |
| <b>Hardware Version:</b>           | 219-102805-D                      |
| <b>Software Version:</b>           | N/A                               |
| <b>Firmware Version:</b>           | 02.03.00.00                       |
| <b>APL #:</b>                      | 10195                             |

### 1.3 Document History

| Status   | Date       | Comments  |
|----------|------------|---|
| Approved | 6/12/2014  | Final Approval Date for Software House C*Cure 9000+<br>HIDpivCLASS CCURE-9000 +Veridt Readers<br><i>13.01 Topology: Solution-1</i>  |
| Approved | 8/22/2014  | Final Approval Date for Viscount Freedom +Veridt Readers<br><i>13.02 Topology: Solution-1</i>   |
| Approved | 4/16/2015  | Final Approval Date for Johnson Controls P2000<br>+Technology Industries EntryPoint + Veridt Readers<br><i>13.01 Topology: Solution-2</i>   |
| Update   | 4/22/2015  | Merged all approved Veridt Solutions into a single APL<br>Approval letter   |
| Update   | 3/21/2016  | Update FW Version on PACS PIV Readers from 2.00.02 to<br>2.01.01  |
| Approved | 7/13/2016  | Final Approval Date for Galaxy PACS + TI Industries<br>EntryPoint Validation System + Veridt Readers<br><i>13.01 Topology: Solution-3</i>   |
| Approved | 9/1/2016   | Final Approval Date for AMAG Symmetry PACS + TI<br>EntryPoint Validation System + Veridt Readers<br><i>13.01 Topology: Solution-4</i>   |
| Update   | 10/31/2016 | Extended APL-approved product series with the same readers<br>minus the EWAC communications device. I added the second<br>portion of the part number for all readers. The second portion<br>has historically defined other options, including the EWAC<br>device. |
| Update   | 10/31/2016 | Update for Johnson Controls P2000 v3.13SP3 +Technology<br>Industries EntryPoint v5.5.0.4191 + Veridt Readers<br><i>13.01 Topology: Solution-2</i>   |
| Update   | 7/9/2018   | Approval for Gallagher Command Centre 7.80 PACS<br>Infrastructure + HID pivCLASS 1.4.10.0 Validation System.<br><i>13.01 Topology: Solution-5</i>   |
| Update   | 11/7/2018  | Final Approval date for Use with Gallagher Command Centre<br>vEL7.90.915, a 13.02 Solution  |



|        |            |  |
|--------|------------|--|
| Update | 12/5/2019  | Approval date for use with Identiv Velocity 3.7 SP2 solution (13.02 Solution 3 below). Veridt Bio Dual Contact/Contactless Keypad Reader (APL#10092) only.   |
| Update | 1/31/2020  | Addition of Veridt readers to Lenel OnGuard embedded solution (APL#10112 + #10113)   |
| Update | 7/28/2020  | Updated the version of CCure 9000 and HID  |
| Update | 7/28/2020  | Removed RPL solution   |
| Update | 10/13/2020 | Updated Version for Genetec and HID  |
| Update | 10/22/2020 | Addition of Lenel OnGuard 7.6 and TI EntryPoint 5.8.3 solution, Veridt firmware updated to 2.5.12  |
| Update | 3/1/2021   | Update of Galaxy + TI EntryPoint solution listing  |
| Update | 3/1/2021   | Removal of RPL solutions   |
| Update | 6/9/2021   | Addition of AMAG   |
| Update | 5/26/2022  | Addition of AMAG + Identity One  |
| Update | 7/27/2023  | Update of Gallagher Gallagher PIV Command Center, High Sec Controller 6000 - PIV, and addition of High Sec Controller 6000 2 Door - PIV  |
| Update | 9/28/2023  | Addition of JCI Software House C•CURE 9000 13.02 solution. Addition of exemplar and APL column to all readers and added SWF version Veridt readers. Solutions APL 10086 and 10087 were removed because they are on the RPL.  |
| Update | 4/01/2024  | Update of Gallagher Gallagher PIV Command Center, High Sec Controller 6000 - PIV, and addition of High Sec Controller 6000 2 Door - PIV<br><br>Addition of Gallagher part number (C861600) for Veridt 900W2030-DXXXX Bio Dual Contact/Contactless Keypad Reader APL# 10186 |
| Update | 07/09/2024 | Updated the list of readers with Exemplar's.   |
| Update | 10/25/2024 | Addition of AMAG + Identity One<br><br>Addition of Veridt 900W2031-EXYON BioQ - Contact/Contactless Keypad / Bio Reader, Facial recognition w/EWAC APL# 10187  |
| Update | 11/19/2024 | Addition of NAPCO CA4K + Identity One validation solution.<br><br>Addition of NAPCO/ Veridt Bio Dual Contact/Contactless Keypad Reader, APL #10194.<br><br>Addition of NAPCO/ Veridt Stealth Dual Reader, APL #10195.  |

## 1.4 Restrictions:

The Veridt product has been tested and approved as a fully compliant FICAM Solution component. The end-to-end solution components used to test the approved solution's FICAM compliance are listed below.

### **13.01 Topology:**

#### **Solution - 1**

- PACS Infrastructure (APL# **10001**)
  - Software House C\*CCURE 9000
  - iSTAR Edge Controller w/ POE
- Validation System (APL# **10002**)
  - pivCLASS Registration Engine (CCURE-9000)
  - pivCLASS Certificate Manager
  - pivCLASS Reader Services
  - pivCLASS IDPublisher
  - pivCLASS Authentication Module

#### **Solution - 2:**

- PACS Infrastructure (APL# **10083**)
  - System Galaxy Software
  - FiPACK Controller Packages
- Validation System (APL # **10084**)
  - EntryPoint Identity Management Suite
  - EntryPoint Validation Service
  - EntryPoint PACS Connector (Galaxy)
  - EntryPoint High Assurance Reader Service – Veridt

#### **Solution - 3:**

- PACS Infrastructure (APL# **10019**)
  - Gallagher PIV Command Centre
  - High Sec Controller 6000 - PIV
  - High Sec Controller 6000 2-Door - PIV
- Validation System (APL# **10020**)
  - HID Global pivCLASS Registration Engine (Gallagher PIV Command Centre)
  - HID Global pivCLASS Registration Engine for MultiPACS
  - HID Global pivCLASS Certificate Manager
  - HID Global pivCLASS IDPublisher
  - HID Global pivCLASS MultiPACS Console
  - HID Global pivCLASS MultiPACS Connector for Gallagher Command Centre

#### **Solution - 4:**

- PACS Infrastructure (APL #10112)
  - OnGuard Software for ES, ADV, PRO, or Enterprise system types
  - Intelligent System Controller with Dual reader interface includes pivCLASS Embedded Authentication
  
- Validation System (APL# 10113)
  - pivCLASS Registration Engine for Lenel OnGuard
  - pivCLASS Certificate Manager
  - pivCLASS Reader Services
  - pivCLASS Embedded Authentication Firmware
  - pivCLASS IDPublisher

**Solution - 5:**

- PACS Infrastructure (APL #10061)
  - Genetec Security Center – Synergis Physical Access Control System
  - Intelligent System Controller with Dual/Single reader interface includes pivCLASS Embedded Authentication and pivClass Authentication Module
  
- Validation System (APL# 10062)
  - pivCLASS Registration Engine for Genetec Security Center
  - pivCLASS Certificate Manager
  - pivCLASS Reader Services
  - pivCLASS Embedded Authentication Firmware
  - pivCLASS IDPublisher

**Solution - 6:**

- PACS Infrastructure (APL #10126)
  - OnGuard Software for ES, ADV, PRO, or Enterprise
  - LNL X4420 Intelligent System Controller with Dual Reader Interface
  - LNL 1320-S3 Dual Reader Interface Board
  - LNL 1300-S3 Single Reader Interface Board
  - LNL 1300e Single Reader Network Board
  
- Validation System (APL# 10127)
  - EntryPoint Validation software
  - EntryPoint Validation Service – Lenel OnGuard
  - EntryPoint PACS Connector – Lenel OnGuard
  - EntryPoint High Assurance Reader Service

**Solution - 7:**

- PACS Infrastructure (APL #10047)
  - Symmetry Professional V9.3 - Symmetry Security Management Software, Homeland Edition (Server software and client)
  - Reader license
  - Data Import License
  - Intelligent Database Controller
  - Symmetry 4-Door Controller (Wiegand, alarm and door furniture interface)
  - Wiegand Interface Module – License key for 4 readers.
  - M4000 Database Controller

- M4000 4 Door Entry Module
- Validation System (APL# **10048**)
  - pivCLASS Registration Engine (for AMAG Symmetry)
  - pivCLASS Certificate Manager
  - pivCLASS Reader Services
  - pivCLASS IDPublisher
  - pivCLASS Authentication Module

**Solution - 8:**

- PACS Infrastructure (APL #**10143**)
  - Symmetry 9.8-HSE (Homeland Security Edition) - Platform
  - Reader license
  - Data Import Utility
  - M2150 Database Controller
  - M2150 4 Reader Entry Controller
  - M1250 Wiegand Interface Module
  - M4000 Database Controller
  - M4000, 4 Reader Entry Controller
- Validation System (APL# **10144**)
  - Identity One FIPSLink Server
  - Identity One FIPSLink Registration Client
  - FIPSLink Reader Services

**Solution - 9:**

- PACS Infrastructure - JCI Software House C•CURE 9000 (APL# **10115**)
  - Software House C•CURE 9000
  - iSTAR Pro – Series of Intelligent Controllers
  - iSTAR eX – Series of Intelligent Controllers
  - iSTAR Edge – Series of Intelligent Controllers
  - iSTAR Ultra – Series of Intelligent Controllers
- Validation System JCI Innometriks IDS (APL# **10108**)
  - Innometriks (IDS / Identity Server for certificate management and validation)
  - Innometriks High Assurance Software Suite

**Solution - 10:**

- PACS Infrastructure (APL #**10192**)
  - NAPCO CA4K Enterprise Access Control Software
  - CA4K Single Door (CA-1) Access Controller
  - CA4K Eight/Sixteen Door (CA-8) Access Controller
  - CA4K Two Door (CA-2) Access Controller
- Validation System (APL# **10193**)
  - Identity One FIPSLink Server
  - Identity One FIPSLink Registration Client
  - FIPSLink Reader Services

## **13.02 Topology:**

### **Solution - 1:**

- PACS Validation Infrastructure (APL# **10114**)
  - Gallagher PIV Command Center
  - High Sec Controller 6000 - PIV
  - High Sec Controller 6000 2-Door - PIV

### **Solution - 2:**

- PACS and Validation Infrastructure - Identiv Hirsch Velocity (APL #**10103**)
  - Velocity Security Management System
  - Velocity Certificate Service
  - Hirsch MX-8 Panel
  - Hirsch MX-4 Panel
  - Hirsch MX-2 Panel
  - Hirsch M8 Panel
  - Hirsch M2 Panel
  - Secure Network Interface Board (SNIB3)
  - RS-485 Reader Expansion Board (RREB)
  - Hirsch MX1 Panel

### **Solution - 3:**

- PACS Infrastructure - JCI Software House C•CURE 9000 (APL# **10159**)
  - C•CURE-9000
  - Innometriks High Assurance Software Suite
  - Software House iSTAR Ultra USTAR016 Panel
  - Software House iSTAR Ultra USTAR008 Panel
  - Software House iSTAR Ultra USTAR016-SE Panel
  - Software House iSTAR Ultra USTAR008-SE Panel
  - Software House iSTAR Ultra GSTAR016 G2 Panel
  - Software House iSTAR Ultra GSTAR008 G2 Panel
  - Software House iSTAR Ultra GSTAR016-SE G2 Panel
  - Software House iSTAR Ultra GSTAR008-SE G2 Panel
  - Software House iSTAR Ultra GSTAR004 G2 Panel

Approval of the above product/service indicates your cooperation with the Program and successful testing against a rigorous, comprehensive set of functional requirements derived from government-wide specifications. Testing included positive and negative test cases and threat vectors.

Given the strategic government-wide importance of the APL, the scope and extent of testing performed on your product/service, and the rigor of that testing, the Program would like to acknowledge the noteworthiness of the approval and listing. Your product/service will now be available for procurement to all federal agencies.

Please note that continued listing on the APL requires ongoing conformance to all applicable requirements, including requirements added or amended over time. A listed product/service can become non-conformant for various reasons, including but not limited to:

- New Functional Requirements and Test Cases - the Functional Requirement and Test Case (FRTC) documents are effective immediately. All approved Physical Access Control System (PACS) solutions must pass testing against new and revised FRTC requirements before the effective date of the new/revised requirements.
- Specific problems are discovered in a vendor's product or services (or class of products/services) after being listed on the APL. The affected vendor(s) are notified that the identified product(s) and services(s) must be improved within the time frames specified in the FRTC, commensurate with the severity level of the problem.
- Updates to testing requirements due to concerns provided to the Evaluation Program by Federal agency buyers.
- Updates to testing requirements due to vendor-provided issues to the Evaluation Program.
- A product whose last certification letter is older than 12 months and has yet to receive the APL Extension approval.

Refer to applicable Agreements and Program documents for details regarding ongoing compliance, including severity levels and remediation time frames. Listed products and services that fall out of conformance will be removed from the APL and added to the Removed Products List (RPL).

If you have any questions, please feel free to contact me.

Matthew Arnold  
GSA OGP  
(703) 254-6750  
Matthew.Arnold@gsa.gov