



**TO:** Peter Burgess  
Gallagher North America, Inc.  
5005 NW 41st Street  
Riverside, MO 64150

**FROM:** Jordan Packham on behalf of the FIPS 201 Evaluation Program

**DATE:** 11/7/2018

**RE:** Updated APL Approval Letter

Office of Management and Budget (OMB) issued M-06-18 that requires Federal Agencies to procure only qualified products and services listed on the GSA Approved Products List (APL) when implementing HSPD-12 into their environment. Procurement of approved products and services facilitates the government-wide objective of a federated and interoperable ICAM segment architecture, and ensures compliance, consistency and alignment of commercially-available products and services with the requirements and functional needs of government ICAM implementer.

Accordingly, the FIPS 201 Evaluation Program (Program) is very pleased to inform you that the following product/service has passed testing against all applicable Testing Requirements. Please see the attached document that summarizes the specific parameters of the approval (e.g., product/service profile, what your product/service was tested with). Your product/service will now be listed on the APL as shown below. If there are any errors in the listing information, please notify me within five (5) business days of receiving this letter.

# 1 Category-PACS Infrastructure (APL #10114)

## 1.1 APL Certification Number

- (APL #10114)
  - PIV Command Centre
  - Controller 6000 High Spec – PIV

## 1.2 Product/Service Information

<b>Organization Name:</b>	Gallagher
<b>Name of Product or Service:</b>	PIV Command Centre
<b>Part Number:</b>	C201611
<b>Hardware Version:</b>	
<b>Software Version:</b>	vEL7.90.915
<b>Firmware Version:</b>	

<b>Organization Name:</b>	Gallagher
<b>Name of Product or Service:</b>	Controller 6000 High Spec - PIV
<b>Part Number:</b>	C305101
<b>Hardware Version:</b>	2A0633LF-1
<b>Software Version:</b>	
<b>Firmware Version:</b>	vGR7.90.140

## 1.3 Document History

Status	Date	Comments
Approved	3/21/2018	Final Approval Date for Software Update to EL7.80.0856 Final Approval Date for Firmware Update to GR7.80.210
Approved	8/2/2018	Correction of APL number from 10092 to 10114 in this document.
Approved	11/7/2018	Updated Approval Data for EL7.90.915 and GR7.90.140

## 1.4 Restrictions:

This product has been tested and approved as a component of a fully compliant FICAM Solution. The end to end solution components used to test the FICAM compliance of the approved solution are listed below.

### PACS Topology 13.02:

- PIV Reader
  - Gallagher T10 PIV Reader, F/W vHM3.03, (APL# 10021)
  - Gallagher T11 PIV Reader, F/W vHM3.03, (APL# 10022)

- Gallagher T11 PIV Reader - Multi Tech, F/W vHM3.03 (APL# 10023)
- Gallagher T20 PIV Reader, F/W vHT4.03 (APL# 10038)
- Gallagher T20 PIV Reader - Multi Tech, F/W vHT4.03 (APL# 10039)
- Gallagher T21 PIV Reader, F/W vHT4.03 (APL# 10099)
- Gallagher T21 PIV Reader - Multi Tech, F/W vHT4.03 (APL# 10100)
- Gallagher T15 PIV Reader, F/W vHM3.03 (APL# 10101)
- Gallagher T15 PIV Reader – Multi Tech, F/W vHM3.03 (APL# 10102)
- Veridt Bio Dual Contact / Contactless Keypad Reader - F/W 02.05.48 (APL #10092)

Approval of the above product/service indicates your cooperation with the Program and successful testing against a rigorous, comprehensive set of functional requirements derived from government-wide specifications. Testing included positive and negative test cases, and threat vectors.

Given the strategic government-wide importance of the APL, the scope and extent of testing performed on your product/service, and the rigor of that testing, the Program would like to acknowledge the noteworthiness of the approval and listing. Your product/service will now be available to all Federal Agencies for procurement.

Please note that continued listing on the APL requires ongoing conformance to all applicable requirements, including requirements added or amended over time. A listed product/service can become non-conformant for various reasons including but not limited to:

- Failure to pass testing against new and revised requirements before the effective date of the new/revised requirements.
- Problems discovered in your listed product/service (or class of product/service) are not addressed within time frames specified by the Program.

Refer to applicable Agreements and Program documents for specific details regarding ongoing compliance including severity levels and remediation time frames. Listed products and services that fall out of conformance will be removed from the APL and added to the Removed Products List (RPL).

If you have any questions, please feel free to contact me.

Jordan Packham  
GSA OGP  
(202) 706-9730  
Jordan.Packham@gsa.gov